

Liza TRIBO ESTER SAE 5W/50

Passenger Car Engine Oils

PC: 790104501

Liza TRIBO ESTER SAE 5W50

Ester Technology Engine Oil

This product is one of the highest quality lubricants lines in the market. It is developed for passenger car engines and formulated with Ester technology. It can be used in diesel and gasoline engines with or without turbo-chargers. The combination between the full synthetic and ester base oils ensure that these lubricants have a natural high viscosity index. Also this lubricant has an extreme protection against wear, corrosion and foaming and reduces the formation of combustion ashes, and has a very protective lubricant film at higher temperatures. These products have molecular structures that are specifically designed for high performance lubrication of combustion ashes, and have a very protective lubricant film at higher temperatures. These Ester technology engine oils are thermally stable, have high viscosity indices, and lack the undesirable and unstable impurities found in conventional petroleum based oils. They are formulated in a way that it reduces evaporation loss of the oil.

| LIZA TRIBO ESTER SAE 55W50 |
|-------------------------------|
| ALT OF |

BASE OIL: Full synthetic

SPECIFICATIONS

ACEA A3 / B4-12 API SN / CF BMW LONGLIFE-01 MB 229.3 PORSCHE A40 VW 502.00 VW 505.00

| GRADE | METHOD | UNIT | VALUE |
|------------------------------|------------|----------|-------|
| Density | ASTM D4052 | kg/l | 0,857 |
| Kinematic viscosity @ 40 °C | ASTM D445 | mm²/s | 106,0 |
| Kinematic viscosity @ 100 °C | ASTM D445 | mm²/s | 17,5 |
| Viscosity Index | ASTM D2270 | | 182 |
| B.N. (HCL04 method) | ASTM D2896 | mg KOH/g | 10,5 |
| Pour point | ASTM D6892 | °C | -42 |
| Flash point | ASTM D92 | °C | 220 |
| Sulphated ash content | ASTM D874 | % | - |

All data on this technical data sheet is indicative only

V 202404.01